



Verification of Conformity

On the basis of the evaluations undertaken, the sample(s) of the below product have been found to comply with the requirements of the referenced specifications at the time the tests were carried out.

Applicant Name & Address : Tesla Motors, Inc.

3500 Deer Creek Rd, Palo Alto, CA 94304

Product(s) Tested : AC Powerwall

Ratings and principal characteristics: See Page 2

Model(s) : 1108572-xx-y

Brand name : Tesla

Relevant

CEI 0-21:2016-07, Reference technical rules for the Standard(s)/Specification(s)

connection of active and passive users to the LV networks

of electrical distribution companies

Verification Issuing Office Name &

Address

: Intertek, 3933 US Route 11, Cortland, NY 13045, USA

Date of Test(s) : 03/06/2017 to 6/29/2017

Verification/Report Number(s) : 102591059CRT-042

NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



Signature

Name: Howard Liu

Position: Engineering Team Leader

Theren

Date: 20 July 2017

Part No.	1108572-xx-y
Nominal AC output voltage	230 V
Output Freq	50 Hz
Output Power	5.8 kVA
AC Input Voltage	207-253 V
Max. Cont. AC Input Current	21.74 A
AC Input Freq.	50 Hz
FW	7269d32